

disposed between at least one pair of electrodes, wherein the organic layer comprises at least one compound selected from compounds represented by the following general formulae [1] to [14] and [16] to [18]:



Х¹¹ [4] X 16 X 15 X 13 X¹⁴ **(5)** X^1 [6] Х¹⁰ X 14 ×12 ′X¹³ X^{l} (7) X^2 X 5 X^{1} X8 X ² [8] X 6




Alcont

χl [13] X8 X 16 Х¹⁹ (14) X³-X₆ X 12/ X 16 X 13 X 11 X ¹ X ² [16] X^{3}

 X^{13} $X^{12}X^{11}$ X^{10}

wherein X¹ to X²⁰ each independently represents hydrogen atom, a linear, branched or cyclic alkyl group having 1 to 20 carbon atoms, a linear, branched or cyclic alkoxy group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 30 carbon atoms, a substituted or unsubstituted arylamino group having 6 to 30 carbon groups, a substituted or unsubstituted arylamino group having 6 to 30 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 30 carbon atoms, a substituted or unsubstituted arylalkylamino group having 7 to 30 carbon atoms or a substituted or unsubstituted alkenyl groups having 8 to 30 carbon atoms; a pair of adjacent groups represented by X¹ to X²⁰ and a pair of adjacent substituents to groups represented by X¹ to X²⁰ may form a cyclic structure in combination; when a pair of adjacent substituents are aryl groups, the pair of substituents may be a single group; and at least one of substituents represented by X¹ to X¹, i representing a number of 12 to 20, comprises an amine group or an alkenyl group; with the exception that the combination of substituted group X¹³ and X¹⁴, X³ and X⁴, X¹⁰ and X¹¹, and X⁶ and X² with any ring structure in the general formula (3) is omitted;



Cand

wherein R¹ to R⁴ each independently represent an alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 30 carbon atoms, in one or both of a pair of groups represented by R¹ and R² and a pair of groups represented by R³ and R⁴, the groups forming the pair may be bonded through -O- or -S-; R⁵ to R¹6 represents hydrogen atom, a linear, branched or cyclic alkyl group having 1 to 20 carbon atoms, a linear, branched or cyclic alkoxy group having 1 to 20 carbon atoms, a substituted aryl group having 6 to 30 carbon atoms, a substituted or unsubstituted arylaxyl group having 6 to 30 carbon groups, a substituted or unsubstituted arylaxing group having 6 to 30 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 30 carbon atoms, a substituted or unsubstituted arylalkylamino group having 7 to 30 carbon atoms or a substituted or unsubstituted alkenyl groups having 8 to 30 carbon atoms; a pair of adjacent groups represented by R⁵ to R¹6 and a pair of adjacent substituents to groups represented by R⁵ to R¹6 may form a cyclic structure in combination; and at least one of substituents represented by R⁵ to R¹6 comprises an amine group or an alkenyl group.

- 3. (Amended) The organic electroluminescence device according to Claim 2, wherein the organic layer is at least one of a hole transporting layer and a light emitting layer.
- 4. (Amended) The organic electroluminescence device according to Claim 2, wherein the organic layer comprises 1 to 70% by weight of said compound which is selected from compounds represented by general formulae [1] to [14] and [16] to [18]:.

5. (Amended) The organic electroluminescence device according to Claim 2, wherein a layer of an inorganic compound is disposed between the organic layer and the electrode.


4 A A A CONT


- 6. (Amended) The organic electroluminescence device according to Claim 2, which emits reddish light.
- 7. (Amended) The organic electroluminescence device according to Claim 2, wherein the organic layer comprises said compound and isomers thereof.


8. (Amended) The organic electroluminescence device according to Claim 7, wherein among said compound and the isomers thereof, a ratio of an amount by mole of an isomer which can emit light having a longer wavelength to an amount by mole of an isomer which can emit light having a shorter wave is in a range of 90:10 to 60:40.


- 9. (Amended) The organic electroluminescence device according to Claim 7, wherein, among said compound and the isomers thereof, a ratio of an amount by mole of an isomer represented by general formula [17] to an amount by mole of an isomer represented by general formula [18] is in a range of 90:10 to 60:40.
- 10. (Amended) A compound represented by any of the following general formulae [1] to [14] and [16] to [18]:


 X^{1} X^{12} X^{11} X^{10} X^{9} X^{8} X^{7} X^{18} X^{17} X^{16} X^{15} X^{14} X^{13} X^{12} X^{10} X^{10} X^{14} X^{13} X^{12} X^{11} X^{10} X^{14} X^{13} X^{12} X^{11} X^{10} X^{10












wherein X¹ to X²⁰ each independently represents hydrogen atom, a linear, branched or cyclic alkyl group having 1 to 20 carbon atoms, a linear, branched or cyclic alkoxy group having 1 to 20 carbon atoms, a substituted or unsubstituted aryloxy group having 6 to 30 carbon groups, a substituted or unsubstituted aryloxy group having 6 to 30 carbon groups, a substituted or unsubstituted arylamino group having 6 to 30 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 30 carbon atoms, a substituted or unsubstituted arylalkylamino

group having 7 to 30 carbon atoms or a substituted or unsubstituted alkenyl groups having 8 to 30 carbon atoms; a pair of adjacent groups represented by X¹ to X²⁰ and a pair of adjacent substituents to groups represented by X¹ to X²⁰ may form a cyclic structure in combination; when a pair of adjacent substituents are aryl groups, the pair of substituents may be a single group; and at least one of substituents represented by X¹ to X¹, i representing a number of 12 to 20, comprises an amine group or an alkenyl group; with the exception that the combination of substituted group X¹³ and X¹⁴, X³ and X⁴, X¹⁰ and X¹¹, and X⁶ and X⁷ with any ring structure in the general formula (3) is omitted;

Cont



wherein R¹ to R⁴ each independently represent an alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 30 carbon atoms; in one or both of a pair

of groups represented by R¹ and R² and a pair of groups represented by R³ and R⁴, the groups forming the pair may be bonded through -O- or -S-; R⁵ to R¹6 represents hydrogen atom, a linear, branched or cyclic alkyl group having 1 to 20 carbon atoms, a linear, branched or cyclic alkoxy group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 30 carbon atoms, a substituted or unsubstituted arylamino group having 6 to 30 carbon atoms, a substituted or unsubstituted arylamino group having 6 to 30 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 30 carbon atoms, a substituted or unsubstituted arylalkylamino group having 7 to 30 carbon atoms or a substituted or unsubstituted alkenyl groups having 8 to 30 carbon atoms; a pair of adjacent groups represented by R⁵ to R¹6 and a pair of adjacent substituents to groups represented by R⁵ to R¹6 may form a cyclic structure in combination; and at least one of substituents represented by R⁵ to R¹6 comprises an antine group or an alkenyl group.

Please add the following claims.

the organic layer is at least one of a hole transporting layer and a light emitting layer, and wherein a layer of an inorganic compound is between the organic layer and the electrode.

12. (New) The organic electroluminescence device according to Claim 2, wherein the organic layer comprises at least one hole transporting layer and a light emitting layer, and which emits readish light.